SEALUX CD2 the Underwater Housing for the professional Nikon D2x Camera

For the digital **Nikon D2x** camera with the excellent features such as
- picture quality
- rapidity
- user-friendliness

We have designed the precision-fit housing **CD2** so that you can use it fully also under water. Security, operation with minimal dimensions are the features of this housing. Amply-dimensioned O-rings, shafts that are sealed twice and keys that are even sealed fourfold ensure a maximum security. The camera is installed in the front part of the housing and does not have to be moved for the exchange of the storage card.

Housing: Aluminium, milled out of the monoblock CNC, hard-anodised and specially sea-water proof sealed. One T-piece for flash arm, two additional ones on the handles.

Standard Functions:
ON-OFF / Display illumination, shutter release, exposure correction, Mode (exposure control), front and rear setting gear, BKT, flash synchronising system, zoom / focussing, AF-changeover M+S.
Keys for replay, delete key, MENU, INDEX, ENTER, ISO, QUAL, WB (white balance), AE-L /AF-L, multifunctional selector, selector for AF-point selector.

Three windows:
for monitor viewing and backward display,
upper display
selector of functions

Flash connection:
one Nikon flash connection with fixed contacts.

Closures:
two flexible closures with safety lockings close the housing with high tension.

Handle:
with two T-pieces for fixing the flash arms. It is detachable.

Special functions: Function selector switch with release.
Special accessories: Housing: second flash socket, Nikon - flash socket with flexible contacts, S6 flash socket, moisture indicator.

Viewfinder - the most important part of an underwater housing!

You may choose from two variants of viewfinders

GD-viewfinder (Grand)
This **SEALUX** innovation gives the photographer a brilliant viewfinder picture with the same quality as that of a sports viewfinder. The high-quality optical system, multicoated, enlarges the viewfinder picture to a fantastic scale of reproduction. For this the eyepiece of the viewfinder is moved upwards, parallel to the lens. **The viewfinder does not cover the monitor!** This enables the photographer to fully view of the picture, the setting data and to observe the surroundings at the same time. A real action viewfinder! The viewfinder is most suitable for quick changing from vertical format to oblong format as well as for half-half photographs. Persons who wear glasses can still effect the diopter setting on the camera ocular.

LD-viewfinder (Long Distance) enlarges the distance between camera and eye to such an extent that a complete picture can be looked at even with the diving mask. The coated optics makes a good reading of all data in the viewfinder with a scale of reproduction of 1: 1.6 possible.

Flash gun:

For the reliable TTL-function we recommend the use of Nikon Digital Flash guns SB-800DX in the **SEALUX** CX800 housing plus the **SEALUX** flash arms CT20 – CT25.
Other flash guns can be used in manual operation.

Flat- and dome ports:
All flat- and dome ports are cut of optical glass and make it possible to use the Nikon and Sigma lenses with best quality. All ports are supplied with protective cover. For macro lenses a manual focus can be installed.

Extension rings:
They extend the range of application of the flat ports for different focal lengths with smallest packing dimensions. The proven SEALUX bayonet remains unchanged, all ports are compatible with the CF- and CN- construction series.

Please choose the suitable *SEALUX*-port for your Nikkor lenses:

Please choose the suitable *SEALUX*-port for your Sigma lenses:

Further lenses from Nikon and Sigma as well as lenses from the manufacturers Tamron and Tokina on request.

Continuity: By the constant exchange of experiences with the development teams of leading underwater photographers you can be sure that you will get also in future modern and highly qualified products.

Dimensions:	L = 133mm B = 187mm H = 190mm
Weight :	2750g
Buoyancy /downward pressure :	neutral, depending on the lens and port
Tested by a depth of:	90m
Guarantee:	2 years

SEALUX -
The easy way to perfect underwater photographs!